TEST RESULTS






Fiat 500X Small MPV







SPECIFICATION

Tested Model	Fiat 500X 1.6 diesel 'Pop Star', LHD
Body Type	5 door hatchback
Year Of Publication	2015
Kerb Weight	1386kg
VIN From Which Rating Applies	all Fiat 500X's of the specification tested
Class	Small MPV

SAFETY EQUIPMENT

	Driver	Passenger	Rear
FRONTAL CRASH PROTECTION			
Frontal airbag	٠	•	_
Belt pretensioner	٠	•	۲
Belt loadlimiter	٠	•	٠
Knee airbag	×	×	×
SIDE CRASH PROTECTION			
Side head airbag	٠	•	٠
Side chest airbag	٠	•	×
Side pelvis airbag	×	×	×



SAFETY EQUIPMENT (NEXT)

	Driver	Passenger	Rear
CHILD PROTECTION			
Isofix		×	٠
Integrated CRS		×	×
Airbag cut-off switch		•	
SAFETY ASSIST			
Seat Belt Reminder	•	٠	۲

OTHER SYSTEMS	
Active Bonnet (Hood)	×
ESC	•
AEB City	0
AEB Inter-Urban	0
Speed Assistance System	•
Lane Assist System	0

The Safety Equipment includes those items relevant for the year of assessment


Fitted to test car as standard

○ Fitted to test car as option — Not applicable



O Not fitted to test car but available as option







Euro NCAP © Fiat 500X 3/10




<u> ADULT OCCUPANT</u>

Total 33.0 Pts / 86%

Comments on Adult Occupant

The passenger compartment of the 500X remained stable in the frontal offset test. Dummy readings indicated good protection of the knees and femurs of the driver and passenger. Fiat showed that a similar level of protection would be provided to occupants of different sizes and to those sat in different positions. In the full-width rigid barrier test, protection of the driver dummy was good for all critical body areas and, for the rear passenger dummy, it was good apart from the chest, protection of which was adequate. In the side barrier impact, the 500X scored maximum points with good protection of all body regions. In the more severe side pole impact, protection of the chest was adequate and that of other body areas was good. Tests done on the front seats indicated a good level of protection against whiplash injuries in the event of a rear-end collision. A geometric assessment of the rear seats indicated marginal whiplash protection. An autonomous emergency braking system is available as an option. As it is not standard equipment, its performance at the low speeds typical of city driving was not assessed.



Safety Features

2nd row 2nd row Passenger outboard × Isofix × x i-Size × x Integrated CRS Fitted to test car as standard Not on test car but available as option 🗙 Not available **CRS Installation Check** 12 Pts Install without problem Safety critical problem Install with care 🗙 Installation not allowed Infants up to 13 kg Maxi Cosi Cabriofix (Belt) Maxi Cosi Cabriofix & EasyFix (Belt) Maxi Cosi Cabriofix & EasyFix (ISOFIX)

6 Pts





Total 42.0 Pts / 85%


Infants and toddlers up to 18 kg




Toddlers from 9 to 18 kg



Toddlers over 18 kg








Total 42.0 Pts / 85%

		Seat Position		
	Front	Front 2nd row		
	PASSENGER	LEFT	CENTER	RIGHT
Maxi Cosi Cabriofix (Belt)	•	•	×	
Römer King Plus (Belt)	•	•	×	
Römer Duo Plus (ISOFIX)	×	•	×	
Römer KidFix (Belt)	•	•	×	
Maxi Cosi Cabriofix & EasyFix (Belt)	×	•	×	
Maxi Cosi Cabriofix & EasyFix (ISOFIX)	×	•	×	
BeSafe iZi Kid X3 ISOfix (ISOFIX)	×	•	×	
Maxi Cosi Pearl & Familyfix (ISOFIX)	×		×	
Römer KidFix (ISOFIX)	×		×	

Comments on Child Occupant

The 500X scored maximum points for its protection of the 1½ year dummy in the dynamic tests and lost only a fraction of a point for the 3 year dummy, for chest acceleration slightly over the good performance limit. Both dummies were sat in rearward-facing restraints. In the side impact, both were properly contained within the protective shells of their restraints, minimising the likelihood of head contact with parts of the car interior. The front passenger airbag can be disabled to allow a rearward-facing child restraint to be used in that seating position. Clear information is provided to the driver regarding the status of the airbag and the system was rewarded. All of the child restraint types for which the car is designed could be properly installed and accommodated in the vehicle.





Comments on Pedestrian

The bumper provided predominantly good protection to pedestrians' legs. Protection of the pelvis area was good and the car scored maximum points in these tests. The bonnet surface provided predominantly good or adequate protection to the head of a struck pedestrian, with poor results recorded along the edge of the windscreen and on the stiff windscreen pillars.



Speed Assistance

Speed Limit Information Function	N/A
Warning Function	Manually set
Speed Limitation Function	Manually set

Electronic Stability Control

System Name	ESC	
PERFORMANCE		
Vehicle Yaw Rate @ COS + 1.00 s	2%	meets ECE requirements
Vehicle Yaw Rate @ COS + 1.75 s	3%	meets ECE requirements
Lateral Displacement @ BOS + 1.07 s	3.2 m	meets ECE requirements

Seat Belt Reminder

Applies To	All seats		
Warning	Driver Seat	front passenger(s)	rear passenger(s)
Visual	•	•	•
Audible	•	•	•

Lane Support

1 Pts

System Name	Lane assist
Туре	Lane Keep Assist
Operational From	60
Warning	Visual & Haptic
PERFORMANCE	
LDW Confirmation Test	Meets NHTSA requirements



1.3 Pts

3 Pts

3 Pts



SAFETY ASSIST

Total 8.3 Pts / 64%

Comments on Safety Assist

Electronic stability control is standard equipment, as is a seatbelt reminder for the front and rear seats. The optional autonomous emergency braking system operates from low speeds, typical of city driving, to the higher speeds normal for driving on the open road. However, Fiat do not expect most cars to be equipped with the system so its higher-speed functionality was not included in the assessment. A driver-set speed limitation device is standard equipment and met Euro NCAP's requirements for systems of this type. A lane departure warning system is available as an option. As it is expected to be fitted to most cars sold, it was included in the assessment.